

CASA & the Measurement Set (MS)

Sarrvesh S. Sridhar

ASTRON, the Netherlands

July 02, 2018

Session objectives

- 1 What is CASA?
- 2 The measurement set format
- 3 Inspecting & plotting with CASA
- 4 Image pre-calibrated data

CASA

- Common Astronomy Software Applications
- Developed by a consortium (NRAO, ESO, NAOJ, CSIRO, and ASTRON)
- Aimed at ALMA and VLA but works for other telescopes too

CASA

- Common Astronomy Software Applications
- Developed by a consortium (NRAO, ESO, NAOJ, CSIRO, and ASTRON)
- Aimed at ALMA and VLA but works for other telescopes too
- Homepage: <http://casa.nrao.edu>
- Documentation: <https://casa.nrao.edu/casadocs>
- Tutorials: <https://casaguides.nrao.edu>
- Latest version: v5.4.1

CASA

- Common Astronomy Software Applications
- Developed by a consortium (NRAO, ESO, NAOJ, CSIRO, and ASTRON)
- Aimed at ALMA and VLA but works for other telescopes too
- Homepage: <http://casa.nrao.edu>
- Documentation: <https://casa.nrao.edu/casadocs>
- Tutorials: <https://casaguides.nrao.edu>
- Latest version: v5.4.1
- Before we work with CASA, we need to understand how our data is stored.

Measurement sets

- Measurement set (or MS) is a native casacore format
- You can think of MS as a collection of tables

	ANT 1	ANT 2	UVW	DATA	CORRECTED_DATA	FLAG
Row 1						
Row 2						
Row 3						
...						
Row N						

Measurement sets

- Measurement set (or MS) is a native casacore format
- You can think of MS as a collection of tables

	ANT 1	ANT 2	UVW	DATA	CORRECTED_DATA	FLAG
Row 1						
Row 2						
Row 3						
...						
Row N						

- Each row corresponds to a unique **Time** and **Baseline**
- Recall that a **Baseline** is a correlation between two antennas.

Measurement sets

- Measurement set (or MS) is a native casacore format
- You can think of MS as a collection of tables

	ANT 1	ANT 2	UVW	DATA	CORRECTED_DATA	FLAG
Row 1						
Row 2						
Row 3						
...						
Row N						

- Each row corresponds to a unique **Time** and **Baseline**
- Recall that a **Baseline** is a correlation between two antennas.
- There are more columns than what is shown here. We will see them later using a tool called **casabrowser**.
- In addition to this MAIN table, an MS also has many sub-tables.

Demonstration with casabrowser

Flags and bad data

- What do you do when you know a data point (or a row) is bad?
- Should we just delete that row?

Flags and bad data

- What do you do when you know a data point (or a row) is bad?
- Should we just delete that row?
- No, we “flag” them as bad.

	ANT 1	ANT 2	UVW	DATA	CORRECTED_DATA	FLAG
Row 1						0
Row 2						0
Row 3						0
...						...
Row N						0

Flags and bad data

- What do you do when you know a data point (or a row) is bad?
- Should we just delete that row?
- No, we “flag” them as bad.

	ANT 1	ANT 2	UVW	DATA	CORRECTED_DATA	FLAG
Row 1						0
Row 2						0
Row 3						1
...						...
Row N						0

- Note, 0 is False and 1 is True

Physical & logical structure of MS

- From the terminal, an MS looks just like a directory
- Type **ls** <**ms name**>. Do you see the table with row and columns?

Physical & logical structure of MS

- From the terminal, an MS looks just like a directory
- Type **ls** <**ms name**>. Do you see the table with row and columns?
- No, what you see is the physical structure of the MS.
- The **physical** and the **logical** structure of the MS are not the same.
 - ▶ Physical structure - How the table is stored on disk?
 - ▶ Logical structure - The tabular view we see in **casabrowser**.
 - ▶ The MAIN table is physically stored in the **table.*** files.

Finding help in CASA

- Start CASA with **casa**.

Finding help in CASA

- Start CASA with **casa**.
- **tasklist** - to get a list of available tasks.

Finding help in CASA

- Start CASA with **casa**.
- **tasklist** - to get a list of available tasks.
- **taskhelp** - A one-line explanation of all available tasks.

Finding help in CASA

- Start CASA with **casa**.
- **tasklist** - to get a list of available tasks.
- **taskhelp** - A one-line explanation of all available tasks.
- **help** <**taskname**> - Detailed help for the specified task.

Finding help in CASA

- Start CASA with **casa**.
- **tasklist** - to get a list of available tasks.
- **taskhelp** - A one-line explanation of all available tasks.
- **help** <taskname> - Detailed help for the specified task.
- **inp** <taskname> - List parameters for a given task.